

Flex Therapist CEUs

Temporomandibular Joint Disorders - Diagnostics and Treatment Considerations

1. What is the first goal of treatment in patients with muscle related TMD?

- A. Adequate Joint Mobility
 - B. Muscle Relaxation/Reducing Tension
 - C. Strengthening
 - D. Achieving no Clicking
-

2. Which muscle is not important to test in strength and length for TMD?

- A. Biceps Brachii
 - B. Suboccipitals
 - C. Anterior Cervical Group
 - D. Trapezius
-

3. What is an S shaped mandible depression curve indicative of?

- A. Poor Control of Muscles of Mastication
 - B. TMJ Restriction
 - C. Mandibular Nerve Compression
 - D. Articular Disc Compression
-

4. Which of the following are expected outcomes of TMD treatment?

- A. Pain Reduction to Minimal
 - B. Reducing Clicking to None
 - C. Minimizing Headaches
 - D. All of the Above
-

5. What is the normal range of motion for mandibular depression?

- A. 8-12 mm
 - B. 30-40 mm
 - C. 40-60 mm
 - D. 50-70 mm
-

6. Which patient may need a referral to an oral surgeon for TMD?

- A. Mechanical Locking due to Bone Structure**
 - B. Muscle Related TMD**
 - C. Articular Disc Displacement**
 - D. All of the Above**
-

7. What exercise is most helpful to improve forward head posture?

- A. Cervical Rotation**
 - B. Cervical Extension**
 - C. Chin Tucks**
 - D. Self Massage**
-

8. Which group is least likely to seek treatment for TMD?

- A. Adolescent**
 - B. 70 Year Old Female**
 - C. 40 Year Old Male**
 - D. 20 Year Old Female**
-

9. The sphenomandibular ligament prevents which direction of excess movement of the mandible?

- A. Anterior**
 - B. Posterior**
 - C. Lateral**
 - D. Medial**
-

10. Which of the following is not a strategy to reduce bruxism?

- A. Stress Management**
 - B. Strength Training**
 - C. Mouth Guard**
 - D. Self Massage**
-

11. Which exercise may be prescribed for a patient with weakness in mandibular depression?

- A. Resisted Mouth Opening**
 - B. Goldfish Exercise**
 - C. Resisted Mouth Closing**
 - D. Lateral Deviation**
-

12. Which symptom is most necessary to seek physical therapy services related to TMD?

- A. Pain**
 - B. Headache**
 - C. Locking**
 - D. All of the Above**
-

13. Which nerve root is responsible for cervical lateral flexion?

- A. C1**
 - B. C2**
 - C. C3**
 - D. C4**
-

14. What should treatment focus on initially for a patient with joint related TMD with open locking?

- A. Joint Mobility**
 - B. Strength**
 - C. Headache Management**
 - D. Dry Needling**
-

15. What treatment should be given on the evaluation visit for a patient with TMD and headaches?

- A. Education and Stress Management**
 - B. TMJ Manipulation**
 - C. Strength Training**
 - D. Instructions to Apply Ice**
-

16. Which muscle attaches from the mandibular condyle and disc to the sphenoid bone?

- A. Temporalis**
 - B. Lateral Pterygoid**
 - C. Medial Pterygoid**
 - D. Masseter**
-

17. Which muscle may be affected in a patient with TMD who has severe pain with posterior and lateral condyle movement?

- A. Masseter**
- B. Medial Pterygoid**

- C. Lateral Pterygoid**
 - D. Temporalis**
-

18. Which patient with the following conditions may benefit from trigger point dry needling the most?

- A. Joint Related TMD**
 - B. Muscle Related TMD**
 - C. Disc Related TMD**
 - D. None of the Above**
-

19. Which differential diagnosis is characterized by skin color changes and disproportionate pain responses in the face?

- A. Bell's Palsy**
 - B. Trigeminal Neuralgia**
 - C. Cluster Headaches**
 - D. CRPS**
-

20. What may a C curve be indicative of in patients with TMD?

- A. Hypomobility of the TMJ ipsilaterally to the deviation**
 - B. Hypomobility of the TMJ opposite to the deviation**
 - C. Deviation of the mandible bilaterally**
 - D. Restrictions of the mandible when depressed passively**
-

Copyright © 2024 Flex Therapist CEUs

Visit us at <https://www.flextherapistceus.com>